# Kentucky Injury Prevention and Research Center

# Kentucky Resident Opioid-Involved Drug Overdose Deaths by County of Residence, 2011-2017

November 26<sup>th</sup>, 2018

## Prepared by

David Akers Patrick Ward

### Released by

Kentucky Injury Prevention and Research Center (KIPRC) 333 Waller Avenue, Suite 242 Lexington, Kentucky 40504

### **Suggested Citation**

Akers, D. & Ward, P. (2018). "Kentucky Resident Opioid-Involved Drug Overdose Deaths by County of Residence, 2011-2017." <u>Kentucky Injury Prevention and Research Center</u>.





Counts of Opioid-Invo	duad Drug Overdese	Dootheamana	Kantuala, Dasidants
Counts of Opioid-Invo	nved Drug Overdose	Deaths among	Kentucky Residents

County of Residence			Yea	r of Dea	ath		
County of Residence	2011	2012	2013	2014	2015	2016	2017
Adair	<5	<5	<5	<5	<5	0	<5
Allen	<5	<5	<5	<5	<5	<5	<5
Anderson	<5	5	<5	<5	5	7	10
Ballard	<5	0	<5	<5	<5	<5	<5
Barren	<5	<5	6	<5	<5	<5	<5
Bath	5	<5	<5	<5	<5	<5	<5
Bell	16	9	23	9	16	8	7
Boone	11	27	28	26	32	27	37
Bourbon	<5	<5	6	<5	<5	<5	5
Boyd	10	9	5	12	18	23	26
Boyle	<5	<5	0	<5	<5	12	6
Bracken	0	0	0	0	5	<5	<5
Breathitt	<5	<5	0	<5	<5	<5	<5
Breckinridge	<5	<5	<5	0	<5	<5	<5
Bullitt	8	14	8	23	12	9	30
Butler	<5	0	<5	0	<5	0	<5
Caldwell	0	0	0	<5	<5	0	0
Calloway	0	<5	<5	<5	5	<5	<5
Campbell	16	49	19	37	36	53	55
Carroll	5	<5	<5	6	<5	<5	<5
Carter	<5	<5	6	<5	5	8	10
Casey	<5	<5	0	<5	<5	<5	<5
Christian	0	<5	<5	<5	<5	<5	<5

Counties are listed in alphabetical order. If a county name is absent from this list, no deaths were reported during this period.

Data are provisional and subject to change.

Drug overdose deaths were identified as deaths with an underlying cause of death in the following ICD-10 code range: X40-X44 (accidental/unintentional drug poisoning), X60-X64 (suicide by drug poisoning), X85 (homicide by drug poisoning), and Y10-Y14 (drug poisoning with undetermined intent).

Opioid involvement determined by the presence of one of the following ICD-10 codes in the supplemental cause fields: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6.

Counts of Opioid-Invo	duad Drug Overdese	Dootheamana	Kantuala, Dasidants
Counts of Opioid-Invo	nved Drug Overdose	Deaths among	Kentucky Residents

County of Residence			Yea	r of Dea	ath		
County of Residence	2011	2012	2013	2014	2015	2016	2017
Clark	8	13	9	5	7	5	10
Clay	23	8	6	<5	5	5	0
Clinton	<5	6	5	<5	6	<5	<5
Crittenden	0	<5	<5	0	0	0	0
Cumberland	<5	<5	0	0	<5	<5	0
Daviess	<5	5	14	5	9	9	5
Edmonson	<5	<5	<5	0	<5	0	<5
Elliott	<5	0	0	0	<5	<5	0
Estill	<5	<5	<5	<5	<5	<5	7
Fayette	43	37	46	67	98	99	107
Fleming	<5	0	<5	<5	<5	<5	<5
Floyd	31	11	17	18	15	13	9
Franklin	<5	<5	6	7	9	10	21
Fulton	0	0	0	0	0	0	<5
Gallatin	<5	5	<5	0	8	5	6
Garrard	6	<5	0	<5	<5	5	5
Grant	<5	11	<5	10	8	15	8
Graves	<5	0	<5	<5	0	<5	<5
Grayson	7	6	<5	7	<5	<5	7
Green	0	0	0	<5	<5	<5	0
Greenup	10	<5	8	6	10	5	10
Hancock	0	0	0	<5	<5	<5	<5
Hardin	8	7	8	13	5	21	13

Counties are listed in alphabetical order. If a county name is absent from this list, no deaths were reported during this period.

Data are provisional and subject to change.

Drug overdose deaths were identified as deaths with an underlying cause of death in the following ICD-10 code range: X40-X44 (accidental/unintentional drug poisoning), X60-X64 (suicide by drug poisoning), X85 (homicide by drug poisoning), and Y10-Y14 (drug poisoning with undetermined intent).

Opioid involvement determined by the presence of one of the following ICD-10 codes in the supplemental cause fields: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6.

Counts of Opioid-Invo	duad Drug Overdese	Dootheamana	Kantuala, Dasidants
Counts of Opioid-Invo	nved Drug Overdose	Deaths among	Kentucky Residents

County of Residence	Year of Death						
County of Residence	2011	2012	2013	2014	2015	2016	2017
Harlan	8	11	9	6	7	7	5
Harrison	<5	<5	5	7	9	20	8
Hart	<5	<5	<5	<5	<5	<5	<5
Henderson	<5	7	<5	<5	<5	<5	7
Henry	0	<5	<5	<5	<5	<5	<5
Hickman	0	0	0	0	<5	0	0
Hopkins	<5	<5	12	<5	<5	7	7
Jackson	0	0	0	0	<5	<5	<5
Jefferson	73	83	107	95	108	187	250
Jessamine	8	6	<5	8	13	16	29
Johnson	15	7	7	<5	6	<5	<5
Kenton	33	48	41	56	80	62	96
Knott	<5	0	<5	<5	0	<5	<5
Knox	19	10	7	<5	13	7	10
LaRue	0	0	0	<5	0	0	<5
Laurel	5	<5	<5	6	9	6	7
Lawrence	<5	5	<5	<5	<5	<5	<5
Lee	<5	0	<5	<5	6	0	<5
Leslie	6	8	<5	8	<5	6	<5
Letcher	12	9	<5	<5	<5	<5	<5
Lewis	<5	<5	0	<5	<5	0	<5
Lincoln	6	<5	<5	<5	<5	8	6
Livingston	<5	0	<5	<5	0	<5	0

Counties are listed in alphabetical order. If a county name is absent from this list, no deaths were reported during this period.

Data are provisional and subject to change.

Drug overdose deaths were identified as deaths with an underlying cause of death in the following ICD-10 code range: X40-X44 (accidental/unintentional drug poisoning), X60-X64 (suicide by drug poisoning), X85 (homicide by drug poisoning), and Y10-Y14 (drug poisoning with undetermined intent).

Opioid involvement determined by the presence of one of the following ICD-10 codes in the supplemental cause fields: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6.

Counts of Opioid-Involve	ed Drug Overdose	Deaths among	Kentucky Residents
Counts of Obloid-Illivolve	du Diug Overuose	Deaths annone	Nemucky nesidems

County of Posidonso	Year of Death						
County of Residence	2011	2012	2013	2014	2015	2016	2017
Logan	0	<5	<5	<5	<5	<5	0
Lyon	0	0	0	<5	<5	0	<5
Madison	12	19	10	22	26	25	38
Magoffin	5	<5	<5	0	<5	<5	<5
Marion	<5	<5	<5	<5	<5	<5	<5
Marshall	<5	<5	9	5	<5	6	<5
Martin	5	<5	<5	<5	6	<5	<5
Mason	<5	<5	0	<5	5	7	9
McCracken	5	<5	9	11	6	5	<5
McCreary	0	<5	<5	<5	<5	0	<5
McLean	0	<5	<5	0	0	0	0
Meade	<5	<5	<5	5	<5	6	6
Menifee	0	0	<5	0	0	<5	<5
Mercer	<5	<5	<5	<5	5	7	<5
Metcalfe	0	0	0	<5	<5	<5	<5
Monroe	7	<5	<5	<5	<5	<5	0
Montgomery	<5	<5	<5	7	8	9	12
Morgan	<5	0	<5	<5	0	<5	<5
Muhlenberg	0	0	6	5	<5	<5	<5
Nelson	5	<5	<5	<5	7	8	14
Nicholas	<5	<5	<5	0	0	0	0
Ohio	<5	<5	5	<5	6	<5	0
Oldham	<5	<5	<5	<5	11	5	6

Counties are listed in alphabetical order. If a county name is absent from this list, no deaths were reported during this period.

Data are provisional and subject to change.

Drug overdose deaths were identified as deaths with an underlying cause of death in the following ICD-10 code range: X40-X44 (accidental/unintentional drug poisoning), X60-X64 (suicide by drug poisoning), X85 (homicide by drug poisoning), and Y10-Y14 (drug poisoning with undetermined intent).

Opioid involvement determined by the presence of one of the following ICD-10 codes in the supplemental cause fields: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6.

Counts of Opioid-Involve	ed Drug Overdose	Deaths among	Kentucky Residents
Counts of Obloid-Illivolve	du Diug Overuose	Deaths annone	Nemucky nesidems

County of Residence	Year of Death						
County of Residence	2011	2012	2013	2014	2015	2016	2017
Owen	<5	0	<5	<5	<5	6	<5
Owsley	0	<5	<5	0	<5	0	0
Pendleton	<5	<5	<5	5	5	7	<5
Perry	12	8	6	9	9	8	5
Pike	22	16	12	18	16	13	9
Powell	5	7	<5	11	6	5	<5
Pulaski	7	6	<5	<5	7	9	9
Robertson	<5	0	0	0	0	<5	<5
Rockcastle	6	7	<5	<5	<5	<5	<5
Rowan	<5	5	<5	<5	5	7	6
Russell	7	7	5	12	<5	<5	<5
Scott	<5	10	<5	5	12	16	12
Shelby	0	<5	0	<5	11	11	5
Simpson	<5	0	0	<5	5	<5	<5
Spencer	<5	<5	<5	<5	5	<5	<5
Taylor	5	9	7	<5	<5	<5	5
Todd	0	<5	<5	<5	0	0	0
Trigg	0	0	<5	<5	5	<5	<5
Trimble	0	<5	<5	0	<5	<5	0
Union	0	<5	<5	<5	<5	<5	<5
Warren	8	10	9	10	7	10	9
Washington	0	<5	0	<5	<5	<5	<5
Wayne	<5	0	<5	<5	<5	0	<5

Counties are listed in alphabetical order. If a county name is absent from this list, no deaths were reported during this period.

Data are provisional and subject to change.

Drug overdose deaths were identified as deaths with an underlying cause of death in the following ICD-10 code range: X40-X44 (accidental/unintentional drug poisoning), X60-X64 (suicide by drug poisoning), X85 (homicide by drug poisoning), and Y10-Y14 (drug poisoning with undetermined intent).

Opioid involvement determined by the presence of one of the following ICD-10 codes in the supplemental cause fields: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6.

Counts of Opioid-Invol	lved Drug Overdose	Deaths among	Kentucky Residents
Counts of Opioid-Invol	ived Drug Overdose	Deaths among	Kentucky Residents

County of Residence	Year of Death							
	2011	2012	2013	2014	2015	2016	2017	
Webster	<5	0	<5	<5	<5	<5	<5	
Whitley	8	14	7	14	11	<5	6	
Wolfe	<5	0	<5	<5	0	0	0	
Woodford	<5	<5	<5	5	8	<5	5	

Counties are listed in alphabetical order. If a county name is absent from this list, no deaths were reported during this period.

Data are provisional and subject to change.

Drug overdose deaths were identified as deaths with an underlying cause of death in the following ICD-10 code range: X40-X44 (accidental/unintentional drug poisoning), X60-X64 (suicide by drug poisoning), X85 (homicide by drug poisoning), and Y10-Y14 (drug poisoning with undetermined intent).

Opioid involvement determined by the presence of one of the following ICD-10 codes in the supplemental cause fields: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6.